Type of Drill

Fire

School Drill Documentation Form

Number/Schedule

Five – Three drills must be completed by December 1.

Tornado	Two – One drill must be completed in March.
Safety/Security	Three – One drill must be completed prior to December 1 and one after January 1
00 99	One drill shall include security measures that are appropriate to an
	emergency such as the release of a hazardous material.
	 One drill shall include security measures of a potentially dangerous
	individual on or near the school premises.
	 Seek input from the administration of the school and local public safety
	on the nature of the drill.
Note — At least one of the drills must be conducted during a lunch or recess period, or at another time when students are gathered but not in classrooms.	
School: Wayla	and Union Middle School
Principal: Caro	yn E. Whyte
Date of Drill: $5/2$	Number of Students: <u>450</u> Number of Staff: <u>50</u>
Time initiated:	3:40 (a.m)/p.m.) Time concluded: $8:45$ (a.m)/p.m.)
Situation at Start of the Drill (check the appropriate box)	
Before School	During class time Passing time Recess
Lunch time	Assembly After School Other:
Remarks:	
Unannounced Drill; hallways clear à quiet in less than I minute	
00.00	
This report is for:	Fire drill number 1 2 3 4 5 for the 2023-2024 school year
(circle number next to the applicable drill)	Tornado drill number 1 2 for the 2023-2024 school year
	Safety/Security drill number 1 2 (3) for the 2023-2024 school year
Name of person conducting drill: Kary MG RUSET	
Title of person conducting drill: Assistant Principal	
Signature of person conducting drill: Haryll MA Musel Date: 5/2/24	
If the drill was coordinated with agencies such as law enforcement, fire department, or emergency management, list the	
agency, official's name, and title.	

Must post on the school's website within 30 days after completing the drill. This form must be maintained on the school's website for at least three years.

Agency: Name: Title:

Agency: ______ Name: _____ Title: _____

Agency: Title: